Being a Replat of a Portion of Tracts E, H, I and K, Rock Creek Ranch Filing No. 12, Situate in the Southeast Quarter of Section 19, Township 1 South, Range 69 West of the 6th P.M., Town of Superior, County of Boulder, State of Colorado

\_, am an owner representative of the property and

In witness whereof I hereunto set my hand this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_.

The foregoing certificate of ownership was acknowledged before me

CERTIFICATE OF DEDICATION  Company and Town of Sumortgagee or Lien Holder  Parcel A:  Tract E, Rock Creek Ranger  Che Records of Boulder of Township One South (T.15)  Town of Superior, County  EXCEPTING THEREFROM the State of Colorado, descripment of the Colorado of Superior of the Colorado of Southeast Quarter of the Colorado of th	ch Filling No. County, situate S.), Range Six of Boulder, S those portions bed in deeds otion No. 0329 described as for theast corner e Southeast Q lorado State f 1313.91 feet West along so West a distar No. 12 and to West a distar East a distan West a distan (4) courses ar East a distan East a distan	the Superior nicipal corporate in Bould 12 recorded e in the Souty—nine Wes State of Color of said Tracerecorded Seprence of said sectuarter of sa Plane Coordi with all other of 24.90 of the POINT ne Southerly ace of 138.96 ce	December 7, theast Quartet (R.69W.) of prado.  It E conveyed ptember 27, e Records of ion 19 and of Section 19 and of Section 19 and of Section 19 and the System, er bearings a distance of feet to the OF BEGINNIN line of said	State of Colorado, be olorado, described as 1992 as Reception No er (SE1/4) of Section the Sixth Principal Molecular to the Department of 1999 at Reception No Boulder County, State ssuming the East line as bearing North 200° North Zone, North Arcontained herein relative f 499.65 feet; Southeast corner of significant states of the southeast states of th	ing the Owner(s) follows:  5. 01246125 of Nineteen (19), eridian (6th P.M.)  of Transportation, 1985322 and of Colorado and of the 10'20" West being merican Datum we thereto;
Tract E, Rock Creek Rand the Records of Boulder Commship One South (T.15 Town of Superior, County EXCEPTING THEREFROM the State of Colorado, descriptoring more particularly decomposition of the Southeast Quarter of the Goutheast Gouthea	County, situate S.), Range Six of Boulder, Southous in deeds of the state of the state of the state of 1313.91 feet west a distant A) courses ar East a distant East East East East East East East Eas	e in the Sounty—nine Westy—nine Westy—nine Westy—nine Westy—nine Westy—nine Sound—nine Southerly—nine Southerly—nine of 116.48—ce of 138.96	theast Quarter (R.69W.) of prado.  It E conveyed ptember 27, Records of ion 19 and of decided Section 19 nate System, er bearings of feet to the OF BEGINNIN line of said	er (SE1/4) of Section the Sixth Principal Months of the Department of 1999 at Reception North Boulder County, State ssuming the East line as bearing North Off North Zone, North Arcontained herein relatives of 499.65 feet; Southeast corner of significant significant contained feet;	Nineteen (19), eridian (6th P.M.) of Transportation, 1985322 and of Colorado and of the 10'20" West being merican Datum we thereto;
the Records of Boulder Commonship One South (T.15) Town of Superior, County EXCEPTING THEREFROM the State of Colorado, description of the Colorado of the Colo	County, situate S.), Range Six of Boulder, Southous in deeds of the state of the state of the state of 1313.91 feet west a distant A) courses ar East a distant East East East East East East East Eas	e in the Sounty—nine Westy—nine Westy—nine Westy—nine Westy—of Said Trace of Said Secty—of Said Secty—of Said Secty—of Said East line nice of 24.90 of the POINT ne Southerly—nice of 116.48 of 138.96 of 138.96	theast Quarter (R.69W.) of prado.  It E conveyed ptember 27, Records of ion 19 and of decided Section 19 nate System, er bearings of feet to the OF BEGINNIN line of said	er (SE1/4) of Section the Sixth Principal Months of the Department of 1999 at Reception North Boulder County, State ssuming the East line as bearing North Off North Zone, North Arcontained herein relatives of 499.65 feet; Southeast corner of significant significant contained feet;	Nineteen (19), eridian (6th P.M.) of Transportation, 1985322 and of Colorado and of the 10'20" West being merican Datum we thereto;
State of Colorado, descri March 15, 2013 at Reception of the Colorado of the Southeast Quarter of the Goundard of the Colorado	ibed in deeds of the strong of	recorded Se 97209 of the ollows: of said sect uarter of sa Plane Coordi with all oth sid East line nce of 24.90 the POINT ne Southerly nce of 116.48 ce of 138.96	ptember 27, Records of ion 19 and cold Section 19 nate System, er bearings of a distance of feet to the OF BEGINNIN line of said	1999 at Reception No Boulder County, State ssuming the East line as bearing North 00" North Zone, North Ar contained herein relative f 499.65 feet; Southeast corner of s G;	. 1985322 and of Colorado and of the 10'20" West being merican Datum ve thereto;
Southeast Quarter of the Co grid Bearing of the Co 1983/2011, a distance of THENCE North 00°10'20" THENCE South 89°49'40" Rock Creek Ranch Filing THENCE South 89°00'21" THENCE North 09°34'33" THENCE North 04°07'49" THENCE North 50°13'37" The following Four (	e Southeast Q blorado State f 1313.91 feet West a distar No. 12 and to West along th West a distar East a distan (4) courses ar East a distan East a distan	uarter of sa Plane Coordi with all oth aid East line nce of 24.90 the POINT ne Southerly nce of 116.48 ce of 138.96	id Section 19 nate System, er bearings a distance of feet to the OF BEGINNIN line of said	as bearing North 00° North Zone, North Ar contained herein relativ f 499.65 feet; Southeast corner of s G;	10'20" West being merican Datum ve thereto;
THENCE South 89°49'40" Rock Creek Ranch Filing THENCE South 89°00'21" THENCE North 09°34'33" THENCE North 04°07'49" THENCE North 50°13'37" The following Four (	West a distar No. 12 and to West along th West a distan East a distan (4) courses ar East a distan East a distan	nce of 24.90 o the POINT ne Southerly nce of 116.48 ce of 138.96	feet to the OF BEGINNIN line of said	Southeast corner of s G;	aid Tract F
THENCE South 50°13'37" THENCE South 19°42'54" THENCE South 00°09'34"		e along the ce of 38.24 ce of 790.30 ce of 130.31	o feet; feet to the Northerly and feet; feet; feet;	Northerly line of said Basterly lines of said	80.57 feet; Tract E;
Said described Parcel A					
	2	52,	.555 (	,	
Parcel B:					
Tracts H, I, and K, Rock 01246125 of the Records Nineteen (19), Township Meridian (6th P.M.), Towr	s of Boulder C One South (T.	County, situa 1S.), Range	te in the Sou Sixty—nine W	itheast Quarter (SE1/4 est (R.69W.) of the Si	l) of Section
EXCEPTING THEREFROM the State of Colorado describence of Boulder (Transportation, State of 1997462 of the Records Department of Transportout Reception No. 199746 particularly described as	bed in that de County, and th Colorado desc of Boulder Co ation, State o 3 of the Reco	eed recorded nat portion o cribed in tha ounty, and a f Colorado d	November 5 of said Tract t deed record so that port escribed in t	, 1999 at Reception N I conveyed to the Dep led November 5, 1999 ion of Tract K conveye hat deed recorded Nov	lo. 1997461 of partment of at Reception No ed to the vember 5, 1999
COMMENCING at the Sout Southeast Quarter of the a Grid Bearing of the Co 1983/2011, a distance o	theast corner s Southeast Q Dorado State	uarter of sa Plane Coordi	id Section 19 nate System,	as bearing North 00° North Zone, North Ar	10'20" West being merican Datum
THENCE North 00°10'20" THENCE South 89°49'40" Rock Creek Ranch Filing THENCE South 00°09'34" 486.94 feet; THENCE North 09°34'33"	West a distar No. 12 and to East along th	nce of 24.90 o the POINT ne East line	feet to the OF BEGINNIN of said Rock	Southeast corner of s G; Creek Ranch Filing 12	a distance of
Creek Ranch Filing 12; THENCE North 89°00'21"					
BEGINNING.				`	
Said described Parcel B	contains 2.630	6 Acres, mo	re or less (±	).	
Said described Parcel A	and Parcel B	in total con	tain 21.665 <i>A</i>	Acres, more or less (±	:).
Have by these presents l shown on this plat, unde dedicate to the public th nerein.	er the name a	ınd style of	ROCK CREEK	RANCH FILING NO. 12/	A and do hereby
Executed thisd	ay of	,	20		
<u>DWNER:</u> Superior-Rock C	Creek LLC, a C	Colorado limit	ed liability co	ompany	
Зу:			,	As:	
, y			/		
NOTARIAL CERTIFICATE					
STATE OF	)				
COUNTY OF	SS				
The foregoing instrument	was acknowle	edged before	me this	day of	, 20,

ITH TRACT E. TRACT IS NOW 1.734

CRES. ALL USES IN

E APPLICABLE TO

The purpose of this plat is to Replat portions Tract E, I H and K of Rock Creek Ranch Filing No. 12

to create new Lots, Outlots, Tracts, and Right of Way; and to vacate and dedicate easements

required to accommodate the proposed uses and infrastructure of the project.

RACTS F AND E WILL

My commission expires \_\_\_\_

<u>INTENT NOTE</u>

PARCEL	ACRES	USE	OWNED AND MAINTAINED I
OUTLOT A	1.552 ACRES	BLANKET UTILITY, DRAINAGE & PUBLIC ACCESS EASEMENT AND EMERGENCY ACCESS EASEMENT	TOWN OF SUPERIOR
OUTLOT B	2.720 ACRES	BLANKET DRAINAGE EASEMENT AND PUBLIC ACCESS EASEMENT AND UTILITY EASEMENT	TOWN OF SUPERIOR
OUTLOT C	1.607 ACRES	BLANKET DRAINAGE EASEMENT AND PUBLIC ACCESS EASEMENT	TOWN OF SUPERIOR
OUTLOT D	0.634 ACRES	BLANKET UTILITY, DRAINAGE & PUBLIC ACCESS EASEMENT AND EMERGENCY ACCESS EASEMENT	TOWN OF SUPERIOR
OUTLOT E	2.002 ACRES	BLANKET DRAINAGE EASEMENT AND UTILITY & ACCESS EASEMENT AND UTILITY & DRAINAGE EASEMENT	TOWN OF SUPERIOR
TRACT A	0.117 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT	HOMEOWNER ASSOCIATION
TRACT B	0.172 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT	HOMEOWNER ASSOCIATION
TRACT C	0.193 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT	HOMEOWNER ASSOCIATION
TRACT D	0.069 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT AND SOUND WALL EASEMENT	HOMEOWNER ASSOCIATION
TRACT E	0.425 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT AND SOUND WALL EASEMENT	HOMEOWNER ASSOCIATION
TRACT F	1.044 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT	HOMEOWNER ASSOCIATION
		AND WATERLINE EASEMENT AND PUBLIC ACCESS EASEMENT	
TRACT G	0.139 ACRES	BLANKET UTILITY & DRAINAGE EASEMENT	HOMEOWNER ASSOCIATION

Witness my hand the corporate seal of the Town of Superior thisday of	of Superior Planning
PLANNING COMMISSION CERTIFICATE  Recommended approval this day of, 20, by the Town  Commission, Resolution No. PC\— Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
PLANNING COMMISSION CERTIFICATE  Recommended approval this day of, 20, by the Town  Commission, Resolution No. PC\— Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
Recommended approval this day of, 20, by the Town Commission, Resolution No. PC \- Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
Recommended approval this day of, 20, by the Town Commission, Resolution No. PC \- Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
Recommended approval this day of, 20, by the Town Commission, Resolution No. PC \- Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
Recommended approval this day of, 20, by the Town Commission, Resolution No. PC \- Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
Commission, Resolution No. PC\— Series 20  TOWN CLERK CERTIFICATE  I hereby certify that this instrument as approved by the Board of Trustees by	
TOWN CLERK CERTIFICATE I hereby certify that this instrument as approved by the Board of Trustees by	(0
I hereby certify that this instrument as approved by the Board of Trustees by	(0
I hereby certify that this instrument as approved by the Board of Trustees by	(0
I hereby certify that this instrument as approved by the Board of Trustees by	(0. 1.1. (0.1.
I hereby certify that this instrument as approved by the Board of Trustees by	(5 ) (6 )
No, Series 20, on this day of, 20, an	
	d was filed in my offi
on the day of, 20, ato'clock _m.	
Town Clerk	
TOWN CIGIN	
<u>PLAT_NOTES</u>	
The property contained within this plat is subject to an Avigation Easement A Reception No. 01220832 of the Records of Boulder County.	greement recorded at

1. Ownership of Tracts A through G shall be deeded to the homeowner's association i) concurrently with the recordation of this plat or ii) at the time of establishment of the homeowner's association, whichever event occurs later in

The foregoing instrument was acknowledged before me this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_,

CERTIFICATE OF OWNERSHIP

Mayor, Town of Superior

NOTARIAL CERTIFICATE STATE OF COLORADO)

COUNTY OF BOULDER)

LIENHOLDER(S):

NOTARIAL CERTIFICATE

My commission expires

Witness my hand and official seal.

OWNERSHIP AND MAINTENANCE NOTE

My commission expires \_\_\_\_\_

- 2. Tracts A through G are hereby dedicated as Blanket Utility and Drainage Easements for the purposes identified on the plat. (See Table below)
- 3. All drainage facilities located within Tracts A through G will be owned, operated and maintained by the homeowner's association.
- 4. The Sound Wall Easements located within Tract D and Tract E, and Lots 10 through 22, Block 2, will be owned and maintained by the homeowners association.
- 5. Underground water and reuse water mains and appurtenances located within Tract F and Tract F.

### VACATION NOTE

Know all men by these presents that we the undersigned, being the owner(s) of the land described herein, and as shown on the attached map do hereby vacate all lot lines of the above described parcel of land.

# VACATION STATEMENT

Know all men by these presents: that we, the Town of Superior, being owner(s) of that portion of an Access Easement being a part of Tract K, Rock Creek Ranch Filing No. 12 recorded December 7, 1992 as Reception No. 01246125 of the Records of Boulder County, located in the Southeast Quarter of Section 19, Township 1 South, Range 69 West, of the 6th P.M., Town of Superior, County of Boulder, State of Colorado, do hereby vacate the Access Easement as shown on Sheet 4 as labeled "VACATED BY THIS PLAT AS SHOWN HATCHED".

and seals this	i	day of	,	20
		•		
Bv:			As:	

In witness whereof, and being the owner(s) of said Easements. We have set our hands

# VACATION STATEMENT

Know all men by these presents: that we, the Superior Metropolitan District No. 1, being owner(s) of the easements as listed therein: \* Easement being that parcel of land described in that Easement Agreement recorded September 14, 1993 as Reception No. 1337020 of the Records of Boulder County Recorder, \* Easement being that parcel of land described in that Easement Agreement recorded September 17, 1997 as Reception No. 1731599 of the Records of Boulder County Recorder, located in the Southeast Quarter of Section 19, Township 1 South, Range 69 West, of the 6th P.M., Town of Superior, County of Boulder, State of Colorado, do hereby vacate said easements.

ln	witness	whereof,	and	being	the	owner(s)	of	said	Easements.	We	have	set	our	hands	
an	d seals	this				day o	f _						, 20	)	_

ACREAGE PERCENT

8.515

2.426

2.848

7.876 36.4%

21.665 100.0%

39.3%

11.2%

13.1%

# LAND USE TABLE

<u>PARCELS</u>	<u>ACREAGE</u>	<u>%</u>
LOTS (62) OUTLOTS (5) TRACTS (7)	7.876 ACRES 8.515 ACRES 2.159 ACRES	36.3% 39.3% 10.0%
RIGHT OF WAY TOTAL	3.115 ACRES 21.665 ACRES	14.4% 100.0%

BASIS OF BEARINGS AND LINEAL UNIT DEFINITION

Assuming the East line of the Southeast Quarter of the Southeast Quarter of Section 19, T.1S., R.69W., as bearing North 00°10'20" West, as monumented as shown on this plat, being a Grid Bearing of the Colorado State Plane Coordinate System, North Zone, North American Datum 1983/2011, a distance of 1313.91 feet with all other bearings contained herein relative thereto.

The lineal dimensions as contained herein are based upon the "U.S. Survey Foot."

According to Colorado law you must commence any legal action based upon any defect in this survey within three years after you first discover such defect. In no even't may any action based upon any defect in this survey be commenced more than ten years from the date of the certification shown hereon. (13-80-105 C.R.S. 2012)

### TITLE COMMITMENT NOTE

This survey does not constitute a title search by King Surveyors to determine ownership or easements of record. For all information regarding easements, rights—of—way and title of records, King Surveyors relied upon Title Commitments as listed and as prepared by Stewart Title Guaranty Company to delineate the aforesaid information.


• Title Commitment Number 17000311272, dated October 27, 2017 • Title Commitment Number 18000310502, dated May 23, 2018

### SURVEYOR'S CERTIFICATE

I, Ronnie L. Edwards, a Licensed Professional Land Surveyor in the State of Colorado, do hereby certify that the survey represented by this drawing was made under my supervision and the monuments shown thereon actually exist, that this drawing accurately represents said survey, and that said survey is in compliance with the requirements of Title 38, Article 51, C.R.S., as amended, and the Town of Superior Municipal Code.



Ronnie L. Edwards — On Behalf Of King Surveyors Colorado Licensed Professional Land Surveyor #38480



(NOT TO SCALE)

1"=30' RAWN BY: CSK

SCALE:

FILE NAME:


1/16/2018

20160908SUB

CHECKED BY:

ROJECT #: 20160908

SHEET 1 OF 5




1/16/2018 FILE NAME: 20160908SUB


1"=30' DRAWN BY:


CSK CHECKED BY:

PROJECT #: 20160908

SHEET 2 OF 5







U&DE UTILITY AND DRAINAGE EASEMENT

CURVE TABLE								
CURVE	LENGTH	RADIUS	DELTA	CHORD	CH BEARING			
C1	56.87	47.50'	68°35'49"	53.53'	N00*59'38"W			
C2	25.00'	640.00'	2°14'17"	25.00'	S00°26'57"E			
С3	62.34'	141.28'	25°16'56"	61.84'	N62*52'05"W			
C4	6.84'	141.28'	2*46'20"	6.84'	N74 <b>°</b> 07'23"W			
C5	55.50'	141.28'	22°30'35"	55.15'	N61°28'55"W			
C6	95.64'	275.00'	19 <b>°</b> 55'39"	95.16'	N00°24'23"E			
C7	18.21'	175.00'	5 <b>°</b> 57'44"	18.20'	S07°23'20"W			
C8	94.25'	60.00'	90°00'00"	84.85'	S45*00'00"E			
С9	59.17'	60.00'	56°30'13"	56.80'	S28°15'07"E			
C10	35.08'	60.00'	33°29'47"	34.58'	S73°15'07"E			
C11	63.67'	145.00'	25°09'31"	63.16'	S87°59'19"E			
C12	54.10'	400.00'	7*44'59"	54.06'	N03°38'37"E			
C13	67.79'	365.00'	10°38'31"	67.70'	N05°05'23"E			
C14	57.68'	435.00'	7*35'52"	57.64'	N03°34'04"E			
C15	10.70'	10.00'	61°17'11"	10.19'	S51°47'45"W			
C16	262.18'	53.60'	280°15'38"	68.72'	S18°43'01"E			
C17	6.80'	10.00'	38°58'27"	6.67'	S78 <b>°</b> 04'25"E			
C18	39.21'	53.60'	41°54'31"	38.34'	N42°06'26"E			
C19	47.26'	53.60'	50°30'53"	45.74'	N88*19'08"E			
C20	26.03'	53.60'	27°49'14"	25.77'	S52°30'49"E			

	CURVE TABLE								
CURVE	LENGTH	RADIUS	DELTA	CHORD	CH BEARING				
C41	53.96'	170.00'	18°11'05"	53.73'	N79°26'23"W				
C42	58.60'	170.00'	19°44'55"	58.31'	N60°28'23"W				
C43	79.39'	150.00'	30°19'31"	78.47	S65°45'41"E				
C44	63.51'	120.00'	30°19'31"	62.77	S65°45'41"E				
C45	30.82	58.00'	30°27'01"	30.46	N83°51'03"E				
C46	111.15'	53.00'	120°09'20"	91.87'	N38°59'53"E				
C47	15.64'	53.00'	16 <b>°</b> 54'39"	15.59'	S89°22'47"E				
C48	95.27	180.00'	30°19'31"	94.16'	S65°45'41"E				
C49	53.98'	120.00'	25°46'27"	53.53'	S63°29'10"E				
C50	9.53'	120.00'	4°33'03"	9.53'	S78°38'55"E				
C51	46.89'	53.00'	50°41'30"	45.38'	N56°49'09"E				
C52	25.97'	53.00'	28°04'27"	25.71'	S17°26'10"W				
C53	22.64'	53.00'	24°28'44"	22.47'	N08°50'25"W				
C54	85.14'	275.00'	17°44'17"	84.80'	N41°21'28"W				
C55	59.30'	275.00'	12°21'21"	59.19'	N44°02'57"W				
C56	43.32'	180.00'	13°47'26"	43.22'	S74°01'44"E				
C57	46.77'	180.00'	14°53'13"	46.64'	S59°41'24"E				
C58	5.18'	180.00'	1°38'51"	5.18'	S51°25'22"E				
C59	22.63'	205.00'	6°19'30"	22.62'	S82°35'41"W				
C60	25.83'	275.00'	5*22'56"	25.82'	N35°10'48"W				

CURVE TABLE							
CURVE	LENGTH	RADIUS	DELTA	CHORD	CH BEARING		
C81	58.72'	23.60'	142°32'51"	44.71'	S67°56'46"E		
C82	89.17	78.20'	65 <b>°</b> 20'03"	84.41'	S44°46'50"E		
C83	5.68'	7.50'	43°25'48"	5.55'	S28°45'42"W		
C84	13.26'	17.50'	43 <b>°</b> 25'48"	12.95'	S28°45'42"W		
C85	64.10'	285.00'	12 <b>°</b> 53'15"	63.97'	S60*42'52"E		
C86	25.80'	225.00'	6 <b>°</b> 34'14"	25.79'	N65°49'25"W		
C87	45.84'	225.00'	11°40'22"	45.76'	N56°42'07"W		
C88	45.79'	225.00'	11°39'41"	45.72	N45°02'06"W		
C89	25.98'	225.00'	6°36'54"	25.96'	N35*53'48"W		
C90	29.02'	95.00'	17°30'08"	28.91'	S67*48'24"E		
C91	0.81'	95.00'	0°29'24"	0.81'	S76°48'10"E		
C92	1.31'	105.00'	0°42'51"	1.31'	N76°41'26"W		
C93	25.70'	105.00'	14°01'24"	25.63'	N63°24'59"W		
C94	48.45'	53.60'	51°47'31"	46.82'	S01°25'17"W		
C95	19.04	145.00'	7°31'23"	19.03'	S79*10'15"E		
C96	44.63'	145.00'	17°38'07"	44.45'	N88°14'59"E		
C97	38.58'	250.00'	8*50'28"	38.54	S76°48'01"W		
C98	45.74'	250.00'	10°28'57"	45.67'	S86°27'43"W		
C99	45.77	250.00'	10°29'25"	45.71'	N83°03'06"W		
C100	37.95'	250.00'	8°41'51"	37.91'	N73°27'28"W		

# SHEET INDEX

2 3	4
	5

			CUR	VE TABL	.E	
ARING	CURV	E LENGTH	RADIUS	DELTA	CHORD	CH BEARING
38"W	C21	65.91'	53.60'	70°27'09"	61.83'	S03°22'38"E
"E	C22	44.82'	53.60'	47°54'47"	43.53'	S55°48'20"W
	C23	38.96'	53.60'	41°39'05"	38.11'	N79°24'44"W
	C24	31.94'	76.10'	24°02'59"	31.71'	S26°34'43"E
	C25	14.60'	200.00'	4°10'57"	14.60'	S89°22'36"W
	C26	16.79'	230.00'	4°10'57"	16.79'	S89°22'36"W
	C27	12.41'	170.00'	4 <b>°</b> 10'57"	12.41'	S89*22'36"W
	C28	8.68'	230.00'	2*09'42"	8.68'	S88°21'58"W
	C29	8.11'	230.00'	2°01'15"	8.11'	N89°32'33"W
	C30	4.63'	170.00'	1°33'33"	4.63'	S88°03'54"W
	C31	7.78'	170.00'	2°37'24"	7.78'	N89°50'38"W
	C32	89.26'	53.00'	96°29'35"	79.08'	S82°28'24"W
E	C33	30.56	27.00'	64°50'58"	28.95'	N66°39'05"E
	C34	132.41'	200.00'	37 <b>°</b> 56'00"	130.01'	N69°33'56"W
v	C35	152.27	230.00'	37 <b>°</b> 56'00"	149.51'	N69°33'56"W
	C36	112.55	170.00'	37 <b>°</b> 56'00"	110.51'	N69°33'56"W
-	C37	25.28'	230.00'	6°17'51"	25.27	N85°23'00"W
=	C38	44.42'	230.00'	11°03'59"	44.35'	N76°42'05"W
	C39	45.39'	230.00'	11°18'22"	45.31'	N65°30'55"W
E	C40	37.19'	230.00'	9°15'48"	37.14'	N55°13'50"W

CURVE TABLE								
CURVE	LENGTH	RADIUS	DELTA	CHORD	CH BEARING			
C61	85.69'	275.00'	17 <b>°</b> 51'13"	85.34'	N18*29'02"W			
C62	2.00'	30.00'	3°49'38"	2.00'	S84°19'19"W			
C63	40.08'	30.00'	76°33'06"	37.17'	N55 <b>°</b> 29'18"W			
C64	82.22'	55.00'	85 <b>°</b> 39 <b>'</b> 15"	74.78'	N54°35'01"W			
C65	2.80'	275.00'	0°35'01"	2.80'	N32°46'50"W			
C66	10.82'	105.00'	5°54'20"	10.82	N73°22'51"W			
C67	15.17'	195.00'	4°27'25"	15.16'	N87°32'26"E			
C68	55.30'	245.00'	12 <b>°</b> 55'56"	55.18'	N78°50'45"E			
C69	3.06'	53.60'	3°16'14"	3.06'	S36°58'05"E			
C70	4.24'	53.60'	4°31'54"	4.24'	S29°35'00"W			
C71	10.16'	53.60'	10°51'30"	10.14'	S29°54'13"E			
C72	168.04	250.00'	38°30'40"	164.89	N88°21'53"W			
C73	143.41'	225.00'	36°31'11"	141.00'	N50°50'57"W			
C74	81.93'	220.00'	21°20'18"	81.46'	S43°15'30"E			
C75	17.45'	195.00'	5°07'41"	17.45'	S56°29'30"E			
C76	29.83'	95.00'	17 <b>°</b> 59'32"	29.71'	S68°03'06"E			
C77	37.83'	105.00'	20°38'34"	37.63'	N66°43'35"W			
C78	87.66	120.00'	41 <b>°</b> 51'19"	85.73'	S77°19'57"E			
C79	70.84	315.00'	12°53'06"	70.69'	N03°06'53"W			
C80	66.34'	295.00'	12 <b>°</b> 53'06"	66.20'	N03°06'53"W			

	CURVE	LENGTH	RADIUS	DELTA	СН	ORD	СН
	C101	5.24'	10.00'	29°59'44'	" 5.	18'	S82
	C102	1.57'	10.00'	8°58'44"	1.	57'	S63
	LINE TABLE					LINE	E T/
	LINE E	BEARING	LENGTH	1 [	LINE	BE.A	ARING

CURVE TABLE

	LINE TAB		
NE	BEARING	LENGTH	LINE
_1	S00°09'33"E	13.07'	L19
2	S00°23'47"E	12.50'	L20
.3	N56°41'35"W	10.00'	L21
.4	N54°42'17"E	10.00'	L22
.5	N89°00'21"E	60.03'	L23
_6	S89°36'53"W	36.61	L24
.7	N82°35'22"E	8.86'	L25
.8	N69°06'32"W	6.64	L26
_9	N32°35'21"W	26.47'	L27
10	N50°28'36"E	30.75	L28
.11	S50°28'36"W	32.44'	L29
12	N56°24'18"W	18.81'	L30
13	S09°33'26"E	32.94'	L31
14	S82°24'30"W	6.78'	L32
15	N46°28'23"W	6.92'	L33
16	N75°24'34"W	41.88'	L34
17	N89°49'40"E	24.90'	
18	S00°00'00"E	14.33'	

NE TAB	LE	LINE TABLE		
EARING	LENGTH	LINE	BEARING	LENG
0 <b>°</b> 09'33"E	13.07'	L19	N90°00'00"E	34.94
0°23'47"E	12.50'	L20	N09°04'33"E	23.00
6°41'35"W	10.00'	L21	N07°33'39"W	9.44
4°42'17"E	10.00'	L22	N87°17'07"E	10.89
9°00'21"E	60.03	L23	S51°23'48"W	31.85
9°36'53"W	36.61'	L24	N58°09'03"W	8.53
2°35'22"E	8.86	L25	N80°03'45"W	48.03
9 <b>°</b> 06'32"W	6.64'	L26	N82°35'37"E	24.94
2°35'21"W	26.47	L27	S82°35'37"W	26.40
0°28'36"E	30.75'	L28	N84°00'55"E	23.49
0°28'36"W	32.44'	L29	S48°53'46"E	6.60
6°24'18"W	18.81'	L30	N43°31'37"E	7.22
9°33'26"E	32.94'	L31	N07°33'39"W	46.67
2°24'30"W	6.78'	L32	N82°26'21"E	8.00
6°28'23"W	6.92'	L33	N82°26'21"E	8.00
5°24'34"W	41.88'	L34	S07°33'39"E	48.00

**PRELIMINARY** 

Ronnie L. Edwards — On Behalf Of King Surveyors Colorado Licensed Professional Land Surveyor #38480

20160908SUB

1"=30' DRAWN BY: CHECKED BY:

PROJECT #: 20160908

SHEET 5 OF 5